



Formosa Plastics®

Formosa Plastics Corporation, Texas  
201 Formosa Drive • P.O. Box 700  
Point Comfort, TX 77978  
Telephone: 361-987-7000

July 31, 2019

Certified Mail: 7018 2290 0000 0529 7446

Air Section Manager, Region 14  
Texas Commission Environmental Quality  
Natural Resource Center  
6300 Ocean Drive, Suite 1200  
Corpus Christi, Texas 78412

RE: Formosa Plastics Corporation, Texas  
TCEQ Air Quality Account No. CB-0038-Q  
Second Quarter 2019 North SUMMA Canister Report

Dear Air Section Manager:

Please find attached the quarterly summary of results from the North SUMMA Canister Monitoring System. This system, and the associated FTIR, was installed as a Supplemental Environmental Project (SEP) as required by TCEQ Docket No. 2000-1144-AIR-E. The sampling requirements of the SEP have been met by FPC-TX, and sampling has been reduced to a monthly frequency. The second quarter 2019 results are shown on the attached table. Additionally, we have included wind roses generated by the weather sensor on the North FTIR or wind direction data from other air monitoring devices for each SUMMA canister sampling date during the second quarter 2019.

This report was designed to be similar to the Point Comfort SUMMA Canister Monitoring Report to maintain reporting consistency. Additionally, an electronic copy of the report has been sent to Dr. Tracie Phillips, per Mr. Darrell McCant's request.

Should you have any questions please contact Vanessa Peppers by e-mail at [VanessaP@ftpc.fpcusa.com](mailto:VanessaP@ftpc.fpcusa.com).

Sincerely,

Rick Crabtree  
Vice President/General Manager  
Formosa Plastics Corporation, Texas

Attachments

July 31, 2019

Page 2

---

cc: Dr. Tracie Phillips  
Toxicology Division  
Texas Commission on Environmental Quality  
P. O. Box 13087  
Austin, Texas 78711-3087

Certified Mail: 7018 2290 0000 0529 7453

# FORMOSA PLASTICS CORPORATION, TEXAS

## SUMMA CANISTER QUARTERLY REPORT

---

### CALCULATION METHODOLOGY

Following is the calculation methodologies used to calculate the Year-To-Date Sum and Year-To-Date Average for the North SUMMA canister sampling site. Please note, there are two columns associated with each component analyzed. The column titled "Actual" represents the results reported by the independent laboratory contracted to analyze the SUMMA canisters. The column titled "½ Reported LOD (Limit of Detection)" represents either the actual result or one-half the limit of detection reported by the laboratory, as appropriate.

#### ACTUAL

The following is entered into the column titled "Actual":

Numerical Value - Actual results reported by the independent laboratory when the result is equal to or greater than the limit of detection. The numerical value is used to calculate the year-to-date sum and the year-to date average;

ND (Non Detect) - As reported by the laboratory. The value of "0" is used to calculate the year to date sum and the year-to-date average;

BDL (Below Detection Limit) - Entered when the actual result is less than the reported limit of detection. The value of "0" is used to calculate the year-to-date sum and the year-to-date average;

"\*" - Non operational sampling period.

#### ½ REPORTED LOD (LIMIT OF DETECTION)

The following is entered into the column titled "½ Reported LOD":

Numerical Value - Actual results reported by the independent laboratory when the result is equal to or greater than the limit of detection. The numerical value is used to calculate the year-to-date sum and the year-to-date average;

½ the Reported Limit of Detection - ½ the reported limit of detection when the results are reported as non-detect and when the actual result is below the detection limit (BDL). ½ the reported limit of detection is used to calculate the year-to-date sum and the year-to-date average.

"\*" - Non operational sampling period.

## **FORMOSA PLASTICS CORPORATION, TEXAS**

### **SUMMA CANISTER QUARTERLY REPORT**

---

Limit of Detection (LOD) - Method Detection Limit, Limit of Detection, Reporting Limit, etc... as reported by the independent laboratory conducting the analysis.

#### **DUPLICATE SAMPLES**

The duplicate samples are reported discreetly on a separate VOC Canister Analysis Table. This is done so that the duplicate samples can be compared to the routine samples and the Relative Percent Difference (RPD) can be calculated. The RPD is calculated using the following equation:

$$\{(X1-X2) / [(X1+X2) / 2]\} \times 100$$

Where the duplicate and routine sample indicated "ND", the RPD is reported as "ND". Where the duplicate or routine sample indicated "ND" and the other indicated a concentration greater than ND, the RPD is calculated by using the value entered in the actual concentration column and the value entered in the ½ Reported LOD column.

#### **YEAR-TO-DATE SUM**

The year-to-date sum is calculated by taking the sum of all values entered in the column.

#### **YEAR-TO-DATE AVERAGE**

The following formula is used to calculate the year-to-date average:

Year-To-Date Sum / (Number of theoretical sample periods - Number of non operational sample periods)

# FORMOSA VOC CANISTER ANALYSIS

## 2nd QUARTER 2019

### NORTH SITE

SAMPLE DATE	AVG. WIND DIRECTION (Degrees)	AVG. WIND SPEED (mph)	ETHYLENE		1,3 BUTADIENE		BENZENE		VINYL CHLORIDE		ETHYLENE DICHLORIDE	
			Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)
07/28/18	322	8.9	*	*	*	*	*	*	*	*	*	*
08/31/18	158	14.5	ND	0.0500	ND	0.1250	0.4360	0.4360	0.1630	0.1630	0.3360	0.3360
09/30/18	160	13.9	ND	0.0500	ND	0.1250	ND	0.0500	ND	0.0500	ND	0.0500
10/28/18	4	196.4	ND	0.0500	ND	0.1250	ND	0.0500	ND	0.0500	ND	0.0500
11/27/18	2	94	*	*	*	*	*	*	*	*	*	*
12/27/18	152	3.3	ND	0.0500	ND	0.1250	0.2980	0.2980	ND	0.0500	0.1320	0.1320
01/16/19	114	7.3	ND	0.0500	ND	0.1250	0.3410	0.3410	ND	0.0500	ND	0.0500
02/21/19	26	8.9	ND	0.0500	ND	0.1250	0.2130	0.2130	ND	0.0500	ND	0.0500
03/23/19	137	12.0	*	*	*	*	*	*	*	*	*	*
04/30/19	146	17.0	2.1700	2.1700	ND	0.0329	0.2580	0.2580	0.2090	0.2090	ND	0.0329
05/30/19	133	9.7	2.1400	2.1400	0.1250	0.1250	0.3330	0.3330	0.0994	0.0994	ND	0.0389
06/29/19	165	4.1	2.0800	2.0800	0.1510	0.1510	0.6250	0.6250	ND	0.0383	ND	0.0383

	ETHYLENE		1,3 BUTADIENE		BENZENE		VINYL CHLORIDE		ETHYLENE DICHLORIDE	
	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)	Actual (ppb)	1/2 Reported LOD (ppb)
Year-To-Date Sum	6.3900	6.6900	0.2760	1.0589	2.5040	2.6040	0.4714	0.7597	0.4680	0.7780
Rolling Year Average	0.7100	0.7433	0.0307	0.1177	0.2782	0.2893	0.0524	0.0844	0.0520	0.0864
Annual Average	1.2780	1.2980	0.0552	0.1118	0.3540	0.3540	0.0617	0.0893	0.0000	0.0420

Number of theoretical sample periods 12 12 12 12 12 12

Number of non operational sample periods 3 3 3 3 3 3

d - Duplicate sample taken in addition to the routine sample (See Calculation Methodology for information on inclusion of duplicate sample results.)

a - Wind rose attached

\* - non operational, data from the North site was used for Wind Direction and Wind Speed, if available

Chemical	TCEQ Air Monitoring Comparison Values (ppb)			Investigation	
	ST	LT		Limit (ppb)	
Vinyl Chloride	27,000	0.47		25	
Ethylene Dichloride	94	0.72		29.7	
Benzene	180	1.4		28.2	
Ethylene	500,000	30		500	
1, 3 Butadiene	1,700	9		25	


## Summary of Non-operational Periods - 2nd Quarter 2019

### North Site SUMMA Canister System


SUMMA Site	Date (s)	Description of Problem	Corrective Action
		No downtime during second quarter 2019.	



**N**



FN: May 30 2019





N

